Fleishers' CAMPUS CLASSICS



3289
See Page 34

3298
See Page 35

VOL. 82

35c

Sleeveless jumbo cable jerkin goes wonderfully over all your tailored blouses.

Sleeveless Pullover No. 3304

Sizes	14	16	18
MATERIALS — Fleisher's Petite Knitting Worsted	3 skeins	3 skeins	3 skeins
Fleisher's Speedknit Nylon	8 skeins	9 skeins	9 skeins
Plastic Knitting Needles, 1 pair each Sizes 3 and 5.			
Plastic Crochet Hook, Size 3.			
MEASUREMENTS—At bustline	34 ins.	36 ins.	38 ins.
Width of back at underarm	17 ins.	18 ins.	19 ins.

GAUGE: Pattern—29 sts=4 inches 8 rows=1 inch

BACK—With size 3 needles, cast on	82 sts	86 sts	90 sts
Beginning first row on right side, work	k 2, p 2	p 2, k 2	k 2, p 2
ribbing for 5 ins., end on right side. **First Inc. row**—Inc. 1 st in	first st, p 9	first 2 sts, p 10	first 3 sts, k 1, p 10
inc. 1 st in each of next 2 sts, * p 2, k 2, p 2, inc. 1 st in each of next 6 sts, p 10, inc. 1 st in each of next 2 sts; repeat from * twice, end last repeat	p 9, inc. 1 st in last st	....	k 1, inc. 1 st in each of last 3 sts
having	108 sts	114 sts	120 sts
Change to size 5 needles, **Row 1—Cable Twist row**—right side—P	1 st	4 sts	7 sts
k 10, p 4, * slip next 7 sts to crochet hook, hold at back of work, k next 7 sts, k 7 sts from hook (cable twist), p 4, k 10, p 4; repeat from *, end last repeat p	1 st	4 sts	7 sts
Row 2—K	1 st	4 sts	7 sts
p 10, k 4, * p 14, k 4, p 10, k 4; repeat from *, end last repeat k	1 st	4 sts	7 sts
Row 3—P	1 st	4 sts	7 sts
k 10, p 4, * k 14, p 4, k 10, p 4; repeat from *, end last repeat p	1 st	4 sts	7 sts
Repeat last 2 rows 3 times. **Row 10—2nd inc. row**—K	1 st	4 sts	7 sts
p 6, inc. 1 st in each of next 4 sts, k 4, * p 14, k 4, p 6, inc. 1 st in each of next 4 sts, k 4; repeat from *, end last repeat k	1 st	4 sts	7 sts
having	124 sts	130 sts	136 sts
Row 11—P	1 st	4 sts	7 sts
work twist on next 14 sts, p 4, * k 14, p 4, work twist on next 14 sts, p 4; repeat from *, end last repeat p	1 st	4 sts	7 sts
Row 12—K	1 st	4 sts	7 sts
* p 14, k 4; repeat from *, end last repeat k	1 st	4 sts	7 sts
Row 13—P	1 st	4 sts	7 sts
* k 14, p 4, repeat from *, end last repeat p	1 st	4 sts	7 sts
Repeat last 2 rows 3 times; repeat row 12 once more.			
Row 21—P	1 st	4 sts	7 sts
k 14, p 4, * work twist on 14 sts, p 4, k 14, p 4; repeat from *, end last repeat p	1 st	4 sts	7 sts
Repeat row 12 and 13, 4 times; repeat row 12 once more. Repeat last 20 rows for cable pat., until 7 ins. above ribbing, end on wrong side, 5 rows above last cable twist.			
Armholes—Bind off for underarm at beginning of next 4 rows	7 sts	7 sts	8 sts
Dec. 1 st each side every 2nd row	3 times	4 times	4 times
Work pat. even until 9 ins. above underarm on	90 sts	94 sts	96 sts
beginning and ending rows on right side with p	2 sts	4 sts	5 sts
end on wrong side, 7 rows above last cable twist.			
Shoulders—Bind off at beginning of next 2 rows	4 sts	6 sts	7 sts
6 sts at beginning of next 8 rows. **Neck dec. row**—K 6, p 2 tog. twice, k 14, p 2 tog. twice, k 6. With size 3 needles, work p 2, k 2 ribbing for 8 rows. Bind off in ribbing.			
FRONT—Work same as back until 12 rows above underarm (7 rows above last cable twist), end on wrong side	90 sts	94 sts	96 sts
Neck and Shoulder Shaping—Work and slip on holder for left side	44 sts	46 sts	47 sts

k 2 and slip on safety pin for center front, finish row. Work 3 rows even on sts of right side, end at neck edge. **Dec. row**—Slip, k and pass, finish row. Repeat dec. at neck edge every 4th row 12 times; every 2nd row 3 times. Shape shoulder as on back when armhole is same length as back. **Note**—Do not work cable twist at neck edge unless there are 14 sts left in cable rib. Take up sts of left side, join yarn at neck edge, work 1 row. **Dec. row**—Work to within 2 sts of end, k 2 tog. Finish to correspond to right side. Do not break yarn.

Copyright 1947 in U.S.A. and Canada, Fleisher Yarns, Inc.

NECK RIBBING—With size 3 needles, pick up and k 50 sts on left neck edge, take up and k 2 center sts, mark for seam sts, pick up and k 50 sts on right neck edge; 102 sts. **Row 1**—Work k 2, p 2 ribbing. **Row 2**—Work ribbing to within 2 sts of 2 center seam sts, p 2 tog., k 2, p 2 tog., finish row; 100 sts. **Row 3**—Work to within 1 st of seam sts, k 1, p 2, k 1, finish row. **Row 4**—Work to within 2 sts of seam sts, slip, k and pass, k 2, k 2 tog., finish row. **Row 5**—Work to within 2 sts of seam sts, p 6, finish row. **Row 6**—Same as row 4. **Row 7**—Work to within 1 st of seam sts, p 4, finish row. **Row 8**—Same as row 2. Bind off in ribbing. Sew shoulder seams.

ARMHOLE RIBBING—With size 3 needle, from right side, pick up and k 18 sts on bound-off and shaped part of armhole edge, 90 sts on even part of edge, 18 sts on other shaped and bound-off part; 126 sts. Work p 2, k 2 ribbing for 8 rows. Bind off in ribbing.

FINISHING—Sew underarm seams. Steam, see page 7.

Sparkle like a diamond in this gay argyle pattern cardigan!

Cardigan No. 3297

Sizes	14	16	18
MATERIALS — Fleisher's *Wonderized* De Luxe Sock and Sport Yarn, Main Color (A)	7 skeins	7 skeins	9 skeins
1 skein each of Contrasting Colors B and C.			
Plastic Knitting Needles, 1 pair each Sizes 1 and 3.			
MEASUREMENTS—Width of back at underarm	16¼ ins.	17¼ ins.	18¼ ins.
of each front at underarm including band	9½ ins.	10 ins.	10½ ins.
Sleeves—Width at underarm	12½ ins.	13 ins.	13½ ins.
GAUGE: 15 sts=2 inches 10 rows=1 inch			
BACK—With size 1 needles and A, cast on	122 sts	130 sts	138 sts
Row 1—wrong side—K 2, * p 2, k 2; repeat from * to end. **Row 2**—P 2, * k 2, p 2; repeat from * to end. Repeat these 2 rows of ribbing	4 times	4 times	6 times
Repeat row 1 again. Change to size 3 needles, work stockinette st (k 1 row, p 1 row) until measurement above ribbing is (end with p row)	14 ins.	14 ins.	14 ins.
Armholes—Bind off 8 sts at beginning of next 2 rows for underarm. **Next row**—K 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1. P 1 row.			
Repeat last 2 rows	5 times	7 times	9 times
Work even on	94 sts	98 sts	102 sts
until measurement above underarm is	6¾ ins.	7 ins.	7¼ ins.
Shoulders—Bind off at beginning of next 2 rows	6 sts	7 sts	8 sts
Bind off 5 sts at beginning of next 10 rows. Slip on holder for neck ribbing	32 sts	34 sts	36 sts
Break yarn.			
RIGHT FRONT—With size 1 needles and A, cast on	71 sts	75 sts	79 sts
Row 1—wrong side—Work p 2, k 2 ribbing for	64 sts	68 sts	72 sts
p 7 sts for buttonhole band.			
Row 2—K 7, work ribbing to end. Repeat these 2 rows	3 times	3 times	5 times
Repeat row 1 again, end at front edge.			
Buttonhole row—K 2, bind off 4 sts, work to end. **Next row**—Work as for row 1, casting on 4 sts over buttonhole. Change to size 3 needles, begin diamond pat. in stockinette st. **Note:** Diamonds are knitted in, cross stripes are embroidered in duplicate st after finishing, see chart page 39.			
Diamond Pattern—**Row 1**—right side—With A, k 32; join B, k 1 with B for point of diamond, join another ball of A; with A, k	38 sts	42 sts	46 sts
Row 2—With A, p	37 sts	41 sts	45 sts
pass B under A at front of work, twisting the strands and joining the colors; with B, p 3; pass A under B; with A, p 31. **Row 3**—With A, k 30, pass B under A at back of work; with B, k 5; twist strands; with A, k	36 sts	40 sts	44 sts
Continue in this way to work 2 sts more with B and 1 st less with A at each side every row, until there are 39 B sts in 20th row. Then work 2 sts less with B, 1 st more with A at each side of diamond, every row, until 3 B sts remain on row 38. **Row 39**—Work 2nd buttonhole as before at front edge, work across row, having 1 st with B in diamond. Break B. **Row 40**—With A, p across row completing buttonhole. Repeat these 40 rows for pat. and buttonholes, alternating C and B diamonds until 14 ins. above ribbing, end with row 19 of C diamond at armhole edge.			
Armhole—Shape as on left side of back	57 sts	59 sts	61 sts
Work even until 5½ ins. above underarm, end with row 35 of B diamond at armhole edge.			
Neck and Shoulder Shaping—**Row 36**—Work to within 17 sts of end, slip last 17 sts on holder for neck. **Row 37**—K 1, slip, k and pass, work to end. **Row 38**—Purl. **Row 39**—Dec. as in row 37. Repeat last 2 rows	7 times	8 times	9 times
shaping shoulder as on back when armhole is same length as on back.			
LEFT FRONT—With size 1 needles and A, cast on	71 sts	75 sts	79 sts
Row 1—wrong side—P 7 for front band, work k 2, p 2 ribbing to end. Finish ribbing to correspond to right front omitting buttonholes. Change to size 3 needles and begin diamond pat. **Row 1**—With A, k	38 sts	42 sts	46 sts
join B and k 1; join another ball of A and k 32. Work to correspond to right front omitting buttonholes, shaping armhole at opposite edge as on right side of back. Work even until 5½ ins. above underarm, end with row 34 of B diamond at armhole edge.			
Neck and Shoulder Shaping—Work to within 17 sts of end, slip last 17 sts on holder for neck. Turn, work 1 row even. **Next row**—Work to within 3 sts of end, k 2 tog., k 1. Finish to correspond to right front.			



NOTE: Instructions for Argyle Anklets, page 32.

Sizes	14	16	18
SLEEVES—With size 1 needles and A, cast on	56 sts	60 sts	60 sts
Work k 2, p 2 ribbing for 3 ins. Change to size 3 needles, work stockinette st, increasing 1 st each side every ½ in	4 times	4 times	10 times
every ¾ in.	15 times	15 times	11 times
Work even until 18 ins. from beginning on	94 sts	98 sts	102 sts
Shape same as armholes of back, decreasing until there are	30 sts	32 sts	34 sts
Bind off 2 sts at beginning of the next 4 rows. Bind off	22 sts	24 sts	26 sts
NECK RIBBING—Beginning at right front edge, slip 17 sts from holder to size 1 needles. Join A in last st, pick up and k on side edge of neck	23 sts	24 sts	25 sts
take up and k for back of neck	32 sts	34 sts	36 sts

(*Continued on Page* 38)

Back to the classics — with this classic standby . . . easy to make too!

Jiffy Pullover No. 3292

Sizes	34	36	38	40
MATERIALS — Fleisher's Superior Knitting Worsted	4 skeins	4 skeins	5 skeins	5 skeins
Plastic Knitting Needles, 1 pair each Sizes 4 and 8.				
MEASUREMENTS—At bustline	34 ins.	36 ins.	38 ins.	40 ins.
Width of back at underarm	17 ins.	18 ins.	19 ins.	20 ins.
Sleeves—Width at armhole	13½ ins.	14 ins.	14½ ins.	15 ins.
GAUGE: 9 sts=2 inches 13 rows=2 inches				
BACK—With size 4 needles, cast on	78 sts	82 sts	86 sts	90 sts
Work k 2, p 2 ribbing for 2½ ins. Change to size 8 needles. Work stockinette st—p 1 row, k 1 row—until measurement above ribbing is, end with k row	13¼ ins.	13½ ins.	14 ins.	14½ ins.
Armholes—Bind off at beginning of next 2 rows for underarm	6 sts	7 sts	8 sts	9 sts
Work even on	66 sts	68 sts	70 sts	72 sts
until measurement above underarm is (end with p row)	6¾ ins.	7 ins.	7¼ ins.	7½ ins.
Shoulders and Neck Ribbing—Next row—K and slip on holder for right shoulder	20 sts	21 sts	22 sts	23 sts
k 26, slip on holder for left shoulder last	20 sts	21 sts	22 sts	23 sts
With size 4 needles, work p 2, k 2 ribbing for 1 in. for Round Neck (4 ins. for Turtle Neck). Bind off loosely in ribbing.				
FRONT—Work same as back until measurement above underam is (end with p row)	5¼ ins.	5½ ins.	5¾ ins.	6 ins.
Neck Shaping—Next row—K and slip on holder for left side	20 sts	21 sts	22 sts	23 sts
k 26, slip on holder for neck; k to end. Work even on	20 sts	21 sts	22 sts	23 sts
for 2 ins., end with k row. Slip sts on holder for right shoulder. Break yarn leaving about 18-in. end for weaving. Take up sts of left side, join yarn at neck edge, work 2 ins. even, end with k row. Slip sts on holder. Break yarn leaving end for weaving.				
FRONT NECK RIBBING—With size 4 needles, from right side, pick up and k 14 sts on left neck edge, take up and k 26 sts, pick up and k 14 sts on right neck edge; 54 sts. Work k 2, p 2 ribbing for same number of rows as on back. Bind off loosely.				
SLEEVES—With size 8 needles, cast on for top of sleeve	60 sts	62 sts	66 sts	68 sts
Work stockinette st, decreasing 1 st each side every 2nd row	3 times	3 times	4 times	4 times
every 10th row 9 times	36 sts	38 sts	40 sts	42 sts
Work even until measurement from beginning is, end with k row	16¾ ins.	17 ins.	17½ ins.	17¾ ins.
With size 4 needles, work k 2, p 2 ribbing for 3 ins. Bind off.				

FINISHING—Weave shoulder sts tog., see page 29. Sew edge of ribbing. Sew seams. Sew in sleeves with seam at center underarm. Steam, see page 7.



Blocking Or Steaming

To Block Each Part Separately—Lay flat on pressing board, wrong side up. Pin edges to board stretching each piece to desired measurements. Steam well with moderately hot iron over a wet cloth taking care not to let weight of iron rest upon any one spot. *To give professional blocked finish* to style garments use slightly more pressure on iron. Leave pinned until dry. If your knitting worked on a slant, run thread down center of each piece; fold along line of thread with wrong side out; place corresponding parts (such as right and left fronts, facings, etc.) together unfolded, with wrong sides out. Pin to board with edges matching and block. After finishing article steam seams and edges.

To Steam Finished Article—Lay flat on pressing board, wrong side out. Steam first one side and when dry, steam on other side, following instructions above. Pin one-piece dress across waistline. Steam all seams and folds on wrong side.

To Block Pattern Stitches—Some pattern stitches; particularly the rib type, hold article in to a much narrower width than specified. When blocking such stitches, use enough pressure on iron so that article will retain desired measurements. Ribbed cuffs, waistbands, neckbands, etc. should not be stretched in width.

You'll really go 8-to-the-bar in this button-up cardigan!

Jiffy Cardigan No. 3293

Sizes	34	36	38	40
MATERIALS — Fleisher's Superior Knitting Worsted	4 skeins	4 skeins	5 skeins	5 skeins
Plastic Knitting Needles, 1 pair each Sizes 4 and 8.				
MEASUREMENTS—Width of back at underarm	17 ins.	18 ins.	19 ins.	20 ins.
of each front at underarm	9 ins.	9½ ins.	10 ins.	10½ ins.
Sleeves—Width at armhole	13½ ins.	14 ins.	14½ ins.	15 ins.
GAUGE: 9 sts=2 inches 13 rows=2 inches				
BACK—Work same as for Pullover No. 3292, see page 6, to shoulder, end with p row.				
Shoulders—Next row—K and slip on holder for right shoulder	20 sts	21 sts	22 sts	23 sts
k 26, slip on holder for neck, k and slip on holder for left shoulder last	20 sts	21 sts	22 sts	23 sts
Break yarn.				
RIGHT FRONT—With size 4 needles, cast on	41 sts	43 sts	45 sts	47 sts
Work k 2, p 2 ribbing for 2½ ins. With size 8 needles work stockinette st for	¾ in.	1¼ ins.	¾ in.	1¼ ins.
end at front edge with p row. **Buttonhole rows**—K 2, bind off 3 sts, k to end. Cast on 3 sts over bound-off sts on next row. Repeat buttonhole every	3¾ ins.	3¾ ins.	4 ins.	4 ins.
until same length as back to armhole, end at underarm edge with k row.				
Armhole—Bind off at beginning of next row for underarm	6 sts	7 sts	8 sts	9 sts
Continuing buttonholes, work even on	35 sts	36 sts	37 sts	38 sts
until measurement above underarm is	5½ ins.	5¾ ins.	6 ins.	6¼ ins.
end with p row at front edge. There will be above 5th buttonhole about	18 rows	18 rows	20 rows	20 rows
Neck Shaping—K 15, slip on holder for neck, work even for 2 ins. on	20 sts	21 sts	22 sts	23 sts
end with k row. Slip sts on holder for shoulder. Break yarn leaving 18-in. end for weaving.				

LEFT FRONT—Work to correspond to right front, omitting buttonholes, shaping armhole and neck at opposite sides. Weave back and front shoulder sts tog., see page 29.

Neck Ribbing—With size 4 needles, slip 15 sts of right neck edge to right needle, join yarn in last st, pick up and k 13 sts on side edge; take up and k 26 sts of back neck; pick up and k 13 sts on left side edge; take up and k 15 sts from holder; 82 sts. Work p 2, k 2 ribbing for 3 rows. Work 6th buttonhole and continue ribbing until 7 rows in all. Bind off in ribbing.

SLEEVES—Work same as for Pullover No. 3292.

FINISHING—Sew seams. Sew in sleeves with seam at center underarm. Face front edges with 1-in. grosgrain ribbon (on right or wrong side as desired). Finish buttonholes. Steam, see page 7.

Abbreviations and Terms

k—knit	yo—yarn over	ch—chain
p—purl	tog.—together	sc—single crochet
st(s)—stitch(es)	in.(s.)—inch(es)	dc—double crochet
inc.—increase	pat.—pattern	hdc—half double crochet
dec.—decrease		

slip, k and pass—slip 1, k 1, pass the slipped st over the knitted st.

An Asterisk (*) indicates that the instructions immediately following are to be repeated the given number of times, in addition to the original. Thus "repeat from * 3 times" means to make 4 times in all. The ** and † are used in the same way.

Be a letter girl – add your own sorority letters or symbols!

Triple Diamond Pullover No. 3300

Sizes	14	16	18
MATERIALS — Fleisher's *Wonderized* De Luxe Sock and Sport Yarn, Main Color, m c.	7 skeins	8 skeins	8 skeins
Contrasting Color, c c, 1 skein.			
Bucilla Six Strand, 1 skein for Embroidery.			
Plastic Knitting Needles, 1 pair each Sizes 0 and 2.			
MEASUREMENTS—At bustline	33 ins.	35 ins.	37 ins.
Width of back at underarm	16 ins.	17 ins.	18 ins.
Sleeves—Width at underarm	11½ ins.	12 ins.	12½ ins.
GAUGE: 8 sts=1 inch 11 rows=1 inch			
BACK—With size 0 needles and m c, cast on	104 sts	110 sts	118 sts
Work k 1, p 1 ribbing for 4 ins. **Inc. row**—P	4 sts	2 sts	10 sts
* inc. 1 st in next st, p 3; repeat from * to end	129 sts	137 sts	145 sts
Change to size 2 needles. Work stockinette st, k 1 row, p 1 row, until	8¾ ins.	9 ins.	9¼ ins.
above ribbing, end with p row.			
Armholes—Bind off 8 sts at beginning of next 2 rows for underarm.			
Dec. 1 st each side every 2nd row	6 times	8 times	10 times
Work even on	101 sts	105 sts	109 sts
until measurement above underarm is (end with p row)	6¾ ins.	7 ins.	7¼ ins.
Shoulders—Bind off at beginning of next 2 rows	5 sts	7 sts	9 sts
Bind off 5 sts at beginning of next 10 rows.			
Neck Ribbing—With size 0 needles, work k 1, p 1 ribbing on remaining 41 sts for 1 in. (2¾ ins. for Turnover Neck). Bind off loosely in ribbing.			
FRONT—With size 0 needles and m c, cast on	110 sts	118 sts	124 sts
Work ribbing as on back. **Inc. row**—P	2 sts	10 sts	8 sts
* inc. 1 st in next st, p 3; repeat from * to end	137 sts	145 sts	153 sts
Change to size 2 needles. Work stockinette st for	2 rows	6 rows	10 rows
Begin Diamond Pattern as follows: **Row 1**—right side—With m c, k	43 sts	47 sts	51 sts
join c c and k 1, join another strand of m c and k	93 sts	97 sts	101 sts
Row 2—With m c, p	93 sts	97 sts	101 sts
pass c c under m c and with c c, p 1, pass m c under c c and with m c, p	43 sts	47 sts	51 sts
Always twist colors on wrong side of work, as in last row, when changing colors. **Row 3**—With m c, k	42 sts	46 sts	50 sts
with c c, k 3, with m c, k	92 sts	96 sts	100 sts
Row 4—With m c, p	92 sts	96 sts	100 sts
with c c, p 3, with m c, p	42 sts	46 sts	50 sts
Continue to work 2 sts more with c c in diamond and 1 st less with m c at each side every 2nd row until there are 25 sts with c c in the 25th and 26th rows of diamond. Work 2 sts less with c c in diamond, and 1 st more with m c at each side on next row and repeat every 2nd row until there is 1 st with c c, end with 50th row of diamond. Break off c c and the strand of m c at top of diamond. Begin 2nd diamond on next row as follows: With m c, k	68 sts	72 sts	76 sts
(24 sts beyond top of diamond), join c c, k 1, join 2nd strand of m c and k	68 sts	72 sts	76 sts
Work 2nd diamond same as first, shaping armholes as for back when same length as back to underarm. Begin 3rd diamond on the row above end of 2nd diamond, working with m c, 24 sts beyond top of 2nd diamond, join c c, k 1, with 2nd strand of m c, k to end. Complete armhole shaping and work even on	109 sts	113 sts	117 sts
until 50th row of 3rd diamond. Break off c c and 2nd strand of m c.			
Neck and Shoulder Shaping—Next row—K	43 sts	45 sts	47 sts
slip on holder for left side, k 23, slip on holder for neck, k to end. Dec. 1 st at neck edge every row 6 times; every 2nd row 7 times, shaping shoulder as on back when armhole is same length as on back.			
Take up sts of left front. Join m c at neck edge, finish to correspond to right side. Do not break yarn.			
FRONT NECK RIBBING—With size 0 needles, pick up and k 26 sts on left neck edge, take up and k 23 sts, pick up and k 26 sts on right side; 75 sts. Work k 1, p 1 ribbing for same length as on back. Bind off loosely in ribbing.			
SLEEVES—With size 0 needles and m c, cast on	61 sts	63 sts	65 sts
Work k 1, p 1 ribbing for 4 ins. Change to size 2 needles. Work stockinette			

Sizes	14	16	18
st, increasing 1 st each side every 8th row	10 times	14 times	18 times
every 10th row	6 times	3 times	....
Work even on	93 sts	97 sts	101 sts
until length from lower edge is	17¾ ins.	18 ins.	18 ins.
Bind off 8 sts at beginning of next 2 rows for underarm. Dec. 1 st each side every 2nd row	8 times	9 times	10 times
every 4th row 6 times; every 2nd row 4 times. Bind off 2 sts at beginning of next 6 rows; 3 sts at beginning of next 2 rows. Bind off	23 sts	25 sts	27 sts

FINISHING—With Bucilla Six Strand, embroider letters on diamond in cross st following chart, see page 39, or use your own initials. Sew seams. Sew in sleeves with seam at center underarm. Steam, see page 7. Use shoulder pads.

Yours alone when you dress up this cardigan with your name or initials!

Cardigan No. 3290

MATERIALS — Group A and B, same as for Pullover No. 3289, page 34.

GAUGE and MEASUREMENTS, same as for Pullover No. 3289.

	Group A				Group B			
Sizes	**34**	**36**	**38**	**40**	**34**	**36**	**38**	**40**
BACK—Same as Pullover No. 3289, to neck ribbing. Slip all sts on holder.								
RIGHT FRONT—With small needles, cast on.....	68 sts	72 sts	76 sts	80 sts	72 sts	76 sts	80 sts	84 sts
Work ribbing as on back. With large needles, work stockinette st (end with p row at front edge) for....	1 in.	1¼ ins.	¾ in.	1½ ins.	1 in.	1¼ ins.	¾ in.	1½ ins.
Buttonhole rows—K 2, bind off	3 sts	3 sts	3 sts	3 sts	4 sts	4 sts	4 sts	4 sts
k to end. Cast on same number of sts as bound off over buttonhole on next row. Work until same length as back to underarm repeating buttonhole every (including previous buttonhole). Leaving off same number of sts for underarm as on back, work even on	3¾ ins.	3¾ ins.	4 ins.	4 ins.	3¾ ins.	3¾ ins.	4 ins.	4 ins.
until measurement above underarm is	58 sts	60 sts	63 sts	66 sts	62 sts	64 sts	67 sts	70 sts
end with p row, at front edge, having 5 buttonholes.	6¼ ins.	6¼ ins.	6½ ins.	6¾ ins.	6¼ ins.	6¼ ins.	6½ ins.	6¾ ins.
Neck—K and slip on holder for neck the first.....	23 sts	24 sts	25 sts	26 sts	24 sts	24 sts	25 sts	26 sts
Work even for 1¾ ins. on the remaining	35 sts	36 sts	38 sts	40 sts	38 sts	40 sts	42 sts	44 sts
Weave sts on needle to the same number of shoulder sts at right side of back.								
LEFT FRONT—Work to correspond to right front omitting buttonholes, shaping armhole and neck at opposite sides.								
NECK RIBBING—Beginning at right front edge, with small needles, slip front neck sts from holder, join yarn, pick up and k on right								

Sizes	34	36	38	40	34	36	38	40
neck edge	11 sts	11 sts	11 sts	12 sts	16 sts	16 sts	16 sts	16 sts
k back neck sts, pick up and k same number of sts on left neck edge, k left front neck sts from holder	106 sts	110 sts	114 sts	118 sts	120 sts	120 sts	124 sts	128 sts

Work ribbing for 8 rows, repeating buttonhole in 4th and 5th rows. Bind off.

SLEEVES—Same as Pullover No. 3289.

FINISHING—Sew seams. Steam, see page 7. Sew 1-in. grosgrain ribbon to right side at front edges. Finish buttonholes. Sew on monogram if desired.

Proper for pedalling and raglan sleeves are so flattering too!

Raglan Pullover No. 3291

Sizes	34	36	38	40
MATERIALS — Fleisher's *Wonderized* Casa-Laine Sport Yarn	5 balls	5 balls	6 balls	6 balls
Fleisher's Petite Knitting Worsted	4 skeins	4 skeins	5 skeins	5 skeins
Fleisher's Sweater and Stocking Yarn	5 skeins	5 skeins	6 skeins	6 skeins
10-inch Double Pointed Plastic Knitting Needles, 2 pairs Size 2; 3 pairs Size 4.				
MEASUREMENTS—At bustline	34 ins.	36 ins.	38 ins.	40 ins.
Length from lower edge to back neck edge	23½ ins.	24¼ ins.	24¾ ins.	25¼ ins.
Sleeves—Width at underarm	12½ ins.	13 ins.	13½ ins.	14 ins.
GAUGE: 13 sts=2 inches 17 rounds=2 inches				
NECK RIBBING—With size 2 needles, cast on loosely and divide on 3 needles	88 sts	96 sts	100 sts	104 sts
Join, work k 2, p 2 ribbing for 9 rounds. Mark end of rounds. Slip sts to size 4 needles as follows: 8 sts on first size 4 needle (right sleeve), 4 sts on 2nd size 4 needle, leave on size 2 needle for front next	28 sts	32 sts	36 sts	36 sts
slip 4 sts on 3rd size 4 needle, 8 sts on 4th size 4 needle (left sleeve), on 5th size 4 needle (back)	36 sts	40 sts	40 sts	44 sts
Raglan Yoke and Neck Shaping—Short rows—Row 1—K 1, inc. 1 st in next st, k 5, inc. 1 st in last st on needle; k 1, inc. 1 st in next st, k 2; turn. **Row 2**—Slip 1, p to front needle	62 sts	66 sts	66 sts	70 sts
turn. **Row 3**—Slip 1, k 2, inc. 1 st in last st on needle, k 1, inc. 1 st in next st, k 5, inc. 1 st in last st on left sleeve needle, k 1, inc. 1 st in next st, k	33 sts	37 sts	37 sts	41 sts
inc. 1 st in last st on back needle, k 1, inc. 1 st in next st, k 7, inc. 1 st in last st on right sleeve needle, k 1, inc. 1 st in next st, k 3, k 2 sts from front needle, in all	99 sts	107 sts	111 sts	115 sts
Row 4—Slip 1, p to front needle	72 sts	76 sts	76 sts	80 sts
p 2 sts from front needle. **Row 5**—Slip 1, k to within 1 st of end of needle, inc. 1 st in last st, * k 1, inc. 1 st in next st, k to within 1 st of end of needle, inc. 1 st in last st *; repeat between *'s twice. k 1, inc. 1 st in next st, k to end of this needle, k 2 sts from front needle	107 sts	115 sts	119 sts	123 sts
Row 6—Slip 1, p to front needle, p 2 sts from front needle. Repeat last 2 rows once	115 sts	123 sts	127 sts	131 sts
Row 9—Slip 1, k 11, inc. 1 st in last st on needle; repeat between *'s of row 5, twice	120 sts	128 sts	132 sts	136 sts
Mark this place for end of rounds (same place as end of rounds on ribbing). This completes short rows for neck shaping, 8 rows from ribbing on back and sleeve needles.				
Place on a size 4 needle the remaining	16 sts	20 sts	24 sts	24 sts
and 14 sts at each side, having on front needle	44 sts	48 sts	52 sts	52 sts
16 sts on each sleeve needle and on back needle	44 sts	48 sts	48 sts	52 sts
Round 1—K around even. **Round 2**—* K 1, inc. 1 st in next st, k to within 1 st of end of needle, inc. 1 st in last st; repeat from * 3 times	128 sts	136 sts	140 sts	144 sts
Repeat these 2 rounds	26 times	27 times	28 times	30 times
on front needle	98 sts	104 sts	110 sts	114 sts
on back needle	98 sts	104 sts	106 sts	114 sts
on each sleeve needle	70 sts	72 sts	74 sts	78 sts
K 1 round even knitting first st of each needle onto preceding needle. Slip sts of back, front and left sleeve on separate strands of yarn.				
RIGHT SLEEVE—Cast on for underarm on free needle	6 sts	6 sts	7 sts	7 sts
k right sleeve sts to same needle, cast on at end	6 sts	6 sts	7 sts	7 sts
Divide on 3 needles, join, k 1 round even	82 sts	84 sts	88 sts	92 sts
Mark end of rounds. **First dec. round**—K 1, slip, k and pass, k to within 3 sts of end of round, k 2 tog., k 1. Repeat dec. round every 2nd round	twice	twice	twice	4 times
every 10th round	10 times	11 times	11 times	11 times
Work even until measurement from cast-on sts at underarm is	14¾ ins.	15 ins.	15½ ins.	15¾ ins.



Sizes	34	36	38	40
Cuff—With size 2 needles, work k 2, p 2 ribbing on	56 sts	56 sts	60 sts	60 sts
for 3½ ins. Bind off in ribbing.				
LEFT SLEEVE—With size 4 needles, take up sts of left sleeve, cast on	6 sts	6 sts	7 sts	7 sts
k sleeve sts, cast on at end of needle	6 sts	6 sts	7 sts	7 sts
join. Work same as right sleeve.				
BODY—With size 4 needles, take up and k sts of back, pick up on				
right underarm	12 sts	12 sts	16 sts	16 sts
take up and k sts of front, pick up and k on left underarm	12 sts	12 sts	16 sts	16 sts
Divide on 3 needles these	220 sts	232 sts	248 sts	260 sts
K around until measurement from underarm is	11½ ins.	12 ins.	12¼ ins.	12½ ins.
end at right underarm. With size 2 needles, work ribbing for 3½ ins. Bind off in ribbing. Steam, see page 7.				

Bright plaids make you one of the "clan" . . . so simple to do too!

Pullover No. 3299

Sizes	14	16	18
MATERIALS — Fleisher's *Wonderized* Casa-Laine Sport Yarn, Color A (Navy)	3 balls	3 balls	4 balls
Color B (Green)	2 balls	2 balls	3 balls
1 ball each of Colors C (Red) and D (Yellow)			
or			
Fleisher's Sweater and Stocking Yarn, Color A (Navy)	3 skeins	3 skeins	4 skeins
Color B (Green)	2 skeins	2 skeins	3 skeins
1 skein each of Colors C (Red) and D (Yellow).			
Plastic Knitting Needles, 1 pair each Sizes 1 and 3.			
MEASUREMENTS—At bustline	33 ins.	35 ins.	37 ins.
Width of back at underarm	16½ ins.	17½ ins.	18½ ins.
Sleeves—Width at underarm	11¾ ins.	12 ins.	12½ ins.
GAUGE: 7 sts=1 inch 9 rows=1 inch			
BACK—With size 1 needles and A, cast on	96 sts	104 sts	108 sts
Work k 1, p 1 ribbing for	3½ ins.	3¾ ins.	4 ins.
Inc. row—K	1 st	9 sts	3 sts
* inc. 1 st in next st, k 4; repeat from * to end	115 sts	123 sts	129 sts
Change to size 3 needles. Break A. Join B.			
Plaid Pattern—**Row 1**—wrong side—With B, p	3 sts	7 sts	10 sts
* k 2, p 3, k 2, p 10; repeat from *, end last repeat p	3 sts	7 sts	10 sts
Row 2—K	3 sts	7 sts	10 sts
* p 2, k 3, p 2, k 10; repeat from *, end last repeat k	3 sts	7 sts	10 sts
Repeat these 2 rows twice. Join D, with D, work 2 rows carrying color not in use along edge of work. Work 4 rows with B and 2 rows with D, break D. Work 6 rows with B, break B. Join A. Work 6 rows with A; join C, work 2 rows. Work 4 rows with A and 2 rows with C. Break C. Work 6 rows with A, break A. Repeat these 40 rows for pat. Work until 9½ ins. above ribbing, end on wrong side.			
Armholes—Bind off 8 sts at beginning of next 2 rows for underarm. Dec. 1 st each side every 2nd row	6 times	8 times	9 times
Work even on	87 sts	91 sts	95 sts
until armholes measure	6½ ins.	6¾ ins.	7 ins.
Shoulders—Bind off at beginning of next 2 rows	3 sts	5 sts	7 sts
Bind off 4 sts at beginning of next 12 rows.			
Neck Ribbing—With size 1 needles and A, work k 1, p 1 ribbing on 33 sts for 1 in. Bind off loosely in ribbing.			
FRONT—Work same as back until 5¼ ins. above underarm, end on wrong side with 13th pat. row (a D row)	87 sts	91 sts	95 sts
Neck and Shoulder Shaping—Work and slip on holder for left side	33 sts	35 sts	37 sts
work 21 sts, slip on holder for neck, work to end. Dec. 1 st at neck edge every row twice; every 2nd row 4 times, shaping shoulder as on back when armhole is same length as on back. Take up sts of left side, join B at neck edge. Finish to correspond to right side.			
FRONT NECK RIBBING—With size 1 needles and A, pick up and k	22 sts	24 sts	26 sts
on left side of neck, take up and k 21 sts, pick up and k	22 sts	24 sts	26 sts
on right side. Work ribbing on	65 sts	69 sts	73 sts
for 1 in. Bind off loosely in ribbing.			
SLEEVES—With size 1 needles and A, cast on	51 sts	53 sts	55 sts
Work k 1, p 1 ribbing for	3¼ ins.	3½ ins.	3½ ins.
Change to size 3 needles, begin pat. with the A and C combination. **Row 1**—wrong side—With A, p	5 sts	6 sts	7 sts
* k 2, p 3, k 2, p 10; repeat from *, end last repeat p	5 sts	6 sts	7 sts
Continue pat. increasing 1 st each side every 8th row 13 times; every 10th row 3 times	83 sts	85 sts	87 sts
Work even until 16¼ ins. above ribbing, end with same pat. row as on back at underarm. Bind off 7 sts at beginning of next 2 rows for underarm. Dec. 1 st each side every 2nd row	7 times	8 times	9 times
every 4th row 5 times; every 2nd row 3 times. Bind off 2 sts at beginning of next 6 rows. Bind off 27 sts.			

Finishing—Weave a strand of yarn through center of each of the 2 sts in the p ribs of pat., see cut, weaving one strand under every 2nd row and another strand under alternate rows, placing colors as follows: Weave first 2 p ribs at underarm edge of back and front with D; next 2 p ribs with C. Continue to alternate D and C in each pair of p ribs. Weave first pair of p ribs at upper edge of sleeve at underarm with C, alternate D and C in same way. Sew seams. Sew in sleeves with seam at center underarm and horizontal stripes matching armhole stripes. Steam, see page 7. Use shoulder pads.



Be queen of the campus in this good-looking all-over cable cardigan.

Classic Cable Cardigan No. 3294

Sizes 14 - 16 - 18

Instructions are for size 14, changes for sizes 16 and 18 are in parentheses.

MATERIALS — Fleisher's Petite Knitting Worsted, 5 (6-7) skeins.
Plastic Knitting Needles, 1 pair each Sizes 3 and 5.
Plastic Crochet Hook, Size 2.

MEASUREMENTS—Width of back at underarm 16¾ (17¾ - 18¾) ins. Width of each front at underarm 9¾ (10¼ - 10¾) ins. Sleeves—Width at underarm 12¾ (13¼ - 13¾) ins.

GAUGE: Stockinette St — 6 sts=1 inch 8 rows=1 inch
Cable Pattern — 15 sts=2 inches 8 rows=1 inch

BACK—With size 3 needles, cast on 102 (109-116) sts. Work k 1, p 1 ribbing for 10 rows. Change to size 5 needles. **Row 1**—right side—K 7 (8-9), p 2, k 4 (5-6), p 2, * k 12, p 2, k 4 (5-6), p 2; repeat from * 3 times, k 7 (8-9). **Row 2**—P 7 (8-9), k 2, p 4 (5-6), k 2, * p 12, k 2, p 4 (5-6), k 2; repeat from * 3 times, p 7 (8-9). **Row 3**—Same as row 1. **Row 4—inc. row**—P 7 (8-9), * k 2, p 4 (5-6), k 2, p 1, inc. 1 st in each of next 3 sts, p 8; repeat from * 3 times, k 2, p 4 (5-6), k 2, p 7 (8-9); 114 (121-128) sts. **Row 5—Cable twist row**—right side—K 7 (8-9), * p 2, k 4 (5-6), p 2, slip next 5 sts to crochet hook, hold at back, k next 5 sts, bring hook forward and hold at front, k next 5 sts, then k 5 sts from hook (cable twist); repeat from * 3 times, p 2, k 4 (5-6), p 2, k 7 (8-9). **Row 6**—P 7 (8-9), * k 2, p 4 (5-6), k 2, p 15; repeat from *, end last repeat p 7 (8-9). **Row 7**—K 7 (8-9), * p 2, k 4 (5-6), p 2, k 15; repeat from*, end last repeat k 7 (8-9). Repeat row 6 and 7, 6 times; repeat row 6 again. Repeat last 16 rows for pat. Dec. 1 st each side of next row, repeat decreases every 16th row twice; 108 (115-122) sts. Work until 7¾ ins. above ribbing, end with 9 rows above 4th twist row.

Waistline dec. row—K 4 (5-6), * p 2 tog., k 4 (5-6), p 2 tog., k 15; repeat from *, end last repeat k 4 (5-6); 98 (105-112) sts. Continue pat. with 1 st in each p rib for 12 rows.

Waistline inc. row—wrong side—P 4 (5-6), * inc. 1 st in next st, p 4 (5-6), inc. 1 st in next st, p 15; repeat from *, end last repeat p 4 (5-6); 108 (115-122) sts. Working cable pat., inc. 1 st each side every 6th row 6 times, working increased sts in stockinette st; 120 (127-134) sts. Work even until 16½ ins. above ribbing, end with twist row.

Armholes—Bind off 6 sts at beginning of next 2 rows for underarm. Dec. 1 st each side every 2nd row 6 (7-8) times; 96 (101-106) sts. Work even until 6¾ (7-7¼) ins. above underarm, end on right side, with 6 (8-10) rows above twist row.

Shoulders—Bind off 7 (10-13) sts at beginning of next 2 rows; 5 sts at beginning of next 10 rows; 32 (31-30) sts. **Neck dec. row**—wrong side—P 2 tog. (p 2 tog.—p 1), work 13, p 2 tog. (p 1—p 2 tog.), work 13, p 2 tog. (p 2 tog.—p 1); 29 sts. Slip these 29 sts on holder for neck ribbing. Break yarn.

RIGHT FRONT—With size 3 needles, cast on 62 (66-70) sts. Work p 1, k 1 ribbing until 10 rows from beginning, end at front edge, completing ribbing. **Row 1**—right side—With size 3 needle, work 9 sts in ribbing for front border; with size 5 needles, * k 4 (5-6), p 2, k 12, p 2; repeat from * once, k 4 (5-6), p 2, k 7 (8-9). **Row 2**—With size 5 needles, p 7 (8-9), * k 2, p 4 (5-6), k 2, p 12; repeat from * once, k 2, p 4 (5-6); with size 3 needles, work 9 sts in ribbing. Continue to work border on size 3 needles in this way up to neck. **Note:** If desired, 9 sts of front border may be put on a thread and worked with size 3 needles after front is completed, working buttonholes as in instructions. Border will then be sewn to front edge. **Row 3—First buttonhole row**—Work 3 sts, bind off 4 sts, work to end. **Row 4—inc. row**—P 7 (8-9), * k 2, p 4 (5-6), k 2, p 1, inc. 1 st in each of next 3 sts, p 8; repeat from * once, k 2, p 4 (5-6), work next 2 sts in ribbing, cast on 4 sts over buttonhole, work 3 sts; 68 (72-76) sts. **Row 5—Cable twist row**—Work 9 sts, * k 4 (5-6), p 2, work twist on next 15 sts, p 2; repeat from * once, k 4 (5-6), p 2, k 7 (8-9). Continue pat. and border, shaping underarm as on back and repeating buttonhole every 2¾ ins., until same length as back up to waistline dec. row. Dec. 1 st in each p rib in next row as on back; 60 (64-68) sts. Work 12 rows even, working 4th buttonhole in a twist row.

Waistline inc. row—wrong side—Inc. 1 st in each of the 5 p ribs as on back; 65 (69-73) sts. Continuing buttonholes, shape underarm and armhole as on back and work even until 5 ins. above underarm, end at front edge with 9th row above a cable twist row. There will be 71 (75-79) sts below underarm and 59 (62-65) sts after shaping armhole.

Neck and Shoulder Shaping—Next row—Work 17 sts, slip on holder for neck ribbing. Dec. 1 st at neck edge every row 6 times; every 2nd row 4 times, shaping shoulder as on back when armhole is same length as on back.

LEFT FRONT—With size 3 needles, cast on 62 (66-70) sts. Work k 1, p 1 ribbing until 10 rows from beginning, end at underarm edge. **Row 1**—With size 5 needles, k 7 (8-9), * p 2, k 4 (5-6), p 2, k 12; repeat from * once, p 2, k 4 (5-6), work 9 sts of border on size 3 needles. Continue pat. as for right front for 2 rows more omitting buttonhole. **Row 4—inc. row**—Work 9 sts of border, * p 4 (5-6), k 2, p 1, inc. 1 st in each of next 3 sts, p 8, k 2; repeat from * once, p 4 (5-6), k 2, p 7 (8-9); 68 (72-76) sts. Finish to correspond to right front, omitting buttonholes.

SLEEVES—With size 3 needles, cast on 50 (53-56) sts. Work k 1, p 1 ribbing for 3½ ins. Change to size 5 needles. **Row 1**—right side—K 1, * p 2, k 4 (5-6), p 2, k 12; repeat from *, end last repeat k 1. Continue ribbing in this way



for 2 rows more. **Row 4—inc. row**—P 1, * k 2, p 4 (5-6), k 2, p 1, inc. 1 st in each of next 3 sts, p 8; repeat from * once, k 2, p 4 (5-6), k 2, p 1; 56 (59-62) sts. **Row 5—Cable twist row**—K 1, * p 2, k 4 (5-6), p 2, work twist on next 15 sts; repeat from * once, p 2, k 4 (5-6), p 2, k 1. Continuing cable pat. inc. 1 st each side of next row, repeat increases every 8th row 13 times, working increased sts in stockinette st; 84 (87-90) sts. Work even until 14½ ins. above cuff, end with twist row. Bind off 6 sts at beginning of next 2 rows for underarm. Dec. 1 st each side every 2nd row 7 (8-9) times; every 4th row 3 times; every 2nd row 3 times. Bind off 2 sts at beginning of next 6 rows; 3 sts at beginning of next 2 rows. Bind off 28 (29-30) sts. Sew shoulder seams.

NECK RIBBING—Take up 17 sts from holder at right side of neck, with size 3 needles, join yarn in 17th st from front edge, pick up and k 15 (16-17) sts up to shoulder seam, take up and work 29 sts of back in pat., pick up and k 15 (16-17) sts on left edge, take up and work 17 sts; 93 (95-97) sts. Work k 1, p 1 ribbing for 3 rows. Work 9th buttonhole in 4th and 5th rows. Work 4 rows. Bind off in ribbing.

FINISHING—Sew seams. Sew in sleeves with seam at center underarm. Finish buttonholes. Work 1 row sc on front edges, from right side, keeping work flat. Steam, see page 7. Use shoulder pads.

Be a smart girl in this Norwegian-type jacquard . . . with matching mittens.

Pullover No. 3295

Size 16

MATERIALS — Fleisher's Superior Knitting Worsted, 4 skeins Main Color A.
Fleisher's Wonderized DeLuxe Sock and Sport Yarn, 2 skeins Navy B; 1 skein each Red C; Royal Blue D; Yellow E; Green F.
Plastic Knitting Needles, 1 pair each Sizes 3 and 5.

MEASUREMENTS—At bustline 35½ ins. Width of back at underarm 17½ ins. Sleeves—Width at underarm 13½ ins.

GAUGE: Stockinette st — 11 sts=2 inches 7 rows=1 inch
Pattern — 11 sts=2 inches 13 rows=2 inches

BACK—With size 3 needles and A, cast on 73 sts. Work k 1, p 1 ribbing for 4 ins. **Inc. row**—right side—K 1, * inc. 1 st in next st, k 2; repeat from * to end; 97 sts. Change to size 5 needles. Work stockinette st, p 1 row, k 1 row, for 9 ins., end with p row.

PATTERN—Use 2 strands of Sock and Sport throughout pattern. When changing color, twist the strands of yarn on wrong side to prevent a hole. **Row 1**—With A, k 2; with B, k 5; * with A, k 4; with B, k 1; with A, k 1; with B, k 5; with A, k 1; with B, k 1; with A, k 4; with B, k 5; repeat from * 3 times, with A, k 2. Carry color not in use loosely along on wrong side of work. Follow pat. as on chart for 6 rows more.

Armholes—Continuing pat., bind off 6 sts at beginning of next 2 rows for underarm. Dec. 1 st each side every 2nd row 6 times; 73 sts. Complete pat. as on chart, having 50 pat. rows in all. With A, k 1 row.

Shoulders—Bind off 7 sts at beginning of next 2 rows: 5 sts at beginning of next 6 rows.



BACK AND FRONT YOKE





Change to size 3 needles. **Neck Ribbing**—Work k 1, p 1 ribbing for 3¾ ins. on remaining 29 sts for turtle neck. For regulation neckband, work ribbing for 1 in. only. Bind off loosely in ribbing.

FRONT—Work same as back. Follow chart, end with 38th pat. row.

Neck and Shoulder Shaping—Work 28 sts, slip on holder for left side; work 17 sts, slip on other holder for neck; finish row. Work right side, following chart. Dec. 1 st at neck edge every row 6 times; 22 sts. Complete pat., shaping shoulder as for back. Beginning at neck edge, finish left side to correspond. Do not break A.

NECK RIBBING—With size 3 needles and A, pick up and k 19 sts on left neck edge; k 17 sts of front neck edge; pick up and k 19 sts on right side; 55 sts. Work k 1, p 1 ribbing for same length as on back. Bind off loosely.

SLEEVES—With size 3 needles and A, cast on 37 sts. Work k 1, p 1 ribbing for 3½ ins. **Inc. row**—right side—K 1, * inc. 1 st in next st, k 2; repeat from * to end; 49 sts. Change to size 5 needles. Work stockinette st, increasing 1 st each side every 1 in. 13 times; 75 sts. Work even until 13½ ins. above ribbing, end with p row. Work pat. as on chart for 7 rows. Bind off 6 sts at beginning of next 2 rows. Dec. 1 st each side every 2nd row 8 times. Bind off 2 sts at beginning of next 14 rows; 19 sts. Bind off with A.

FINISHING—Sew seams. Sew in sleeves with seam at center underarm, matching pat. stripes. Steam, see page 7. Use shoulder pads.

This ribbed pullover has cables that are different but not difficult!

Cable Yoke Pullover No. 3296

Sizes	14	16	18
MATERIALS — Fleisher's Superior Knitting Worsted	3 skeins	4 skeins	4 skeins
Plastic Knitting Needles, 1 pair each Sizes 3 and 8. Plastic Crochet Hook, Size 8.			
MEASUREMENTS—At bustline	34 ins.	36 ins.	38 ins.
Width of back at underarm	17 ins.	18 ins.	19 ins.
Sleeves—Width at underarm	12 ins.	12½ ins.	13 ins.
GAUGE: 9 sts=2 inches 13 rows=2 inches			
BACK—With size 3 needles, cast on	71 sts	75 sts	79 sts
Row 1—wrong side—K	1 st	3 sts	5 sts
* p 3, k 3; repeat from *, end p 3, k	1 st	3 sts	5 sts
Row 2—P	1 st	3 sts	5 sts
* k 3, p 3; repeat from *, end k 3, p	1 st	3 sts	5 sts
Repeat these 2 rows for 4 ins., end with row 1. Change to size 8 needles.			
Waistline Cable Twist row—right side—Work ribbing as before on	13 sts	15 sts	17 sts
* slip next 6 sts to crochet hook, hold at back, k next 3 sts, slip 3 p sts from hook to left needle, p these sts, slip 3 k sts to left needle, k these sts, p 3, k 3, p 3; repeat from * twice, work ribbing to end.			
Waistline inc. row—Work as before	16 sts	18 sts	20 sts
* inc. 1 st in next st, k 1, inc. 1 st in next st; p 3, k 3, p 3, k 3, p 3; repeat from * twice, work ribbing to end	77 sts	81 sts	85 sts
Ribbed Pat.—**Row 1**—right side—Work as before	16 sts	18 sts	20 sts
* p 5, k 3, p 3, k 3, p 3, k 3; repeat from * twice, work as before to end.			
Row 2—Work	16 sts	18 sts	20 sts
* k 5, p 3, k 3, p 3, k 3, p 3; repeat from * twice, work to end. Repeat last 2 rows until measurement from lower edge is (end on right side)	12¾ ins.	13 ins.	13¼ ins.
Armholes—Bind off 4 sts at beginning of next 2 rows for underarm. Dec. 1 st each side every 2nd row	4 times	5 times	6 times
end on right side. **Next row**—Work	2 sts	3 sts	4 sts
* k 2, inc. 1 st in next st, p 3, k 2 tog., k 1, k 2 tog., p 3, inc. 1 st in next st, k 2, p 3; repeat from * twice, end last repeat	p 2	p 3	p 3, k 1
Yoke Cable Twist—**Row 1**—Work	2 sts	3 sts	4 sts
* p 4, work cable twist on next 9 sts as before, p 4, k 3; repeat from *, end last repeat	k 2	k 3	k 3, p 1
Row 2—Work	2 sts	3 sts	4 sts
* k 4, p 3, k 3, p 3, k 4, p 3; repeat from * twice, end last repeat	p 2	p 3	p 3, k 1
Row 3—Work	2 sts	3 sts	4 sts
* p 4, k 3, p 3, k 3, p 4, k 3; repeat from * twice, end last repeat	k 2	k 3	k 3, p 1
Repeat row 2 and 3, 4 times; repeat row 2 again. **Row 13**—Work same as yoke cable twist row 1. **Row 14**—Work	2 sts	3 sts	4 sts
* k 2, k 2 tog., p 3, inc. 1 st in next st, k 1, inc. 1 st in next st, p 3, k 2 tog., k 2, p 3; repeat from * twice, end last repeat	p 2	p 3	p 3, k 1
Continue ribbed pat. until	6½ ins.	6¾ ins.	7 ins.
above underarm, end on right side.			
Shoulder Shaping—Bind off at beginning of next 2 rows	3 sts	4 sts	5 sts
4 sts at beginning of next 8 rows; 23 sts.			
Change to size 3 needles.			
Neck inc. row—wrong side—P 3, k 3, p 3, inc. 1 st in each of next 2 sts, k 1, inc. 1 st in each of next 2 sts, p 3, k 3, p 3; 27 sts. Work k 3, p 3 ribbing for 1 in. Bind off loosely in ribbing.			
FRONT—Work same as back until measurement above underarm is (end on wrong side)	5 ins.	5¼ ins.	5½ ins.
Neck and Shoulder Shaping—Work and slip on holder for left side	23 sts	24 sts	25 sts
work next 15 sts, slip on holder for neck, work to end. Dec. 1 st at neck edge every 2nd row 4 times, shaping shoulder as on back when armhole is same length as on back. Take up sts of left side, join yarn at neck edge; finish to correspond to right side. Do not break yarn.			
FRONT NECK RIBBING—With size 3 needles pick up and k 19 sts on left neck edge, take up 15 sts on free needle, work p 2, k 3, inc. 1 st in each of next 2 sts,			

Sizes	14	16	18

p 1, inc. 1 st in each of next 2 sts, k 3, p 2, pick up and k 19 sts on right edge; 57 sts. **Next row**—K 3, * p 3, k 3; repeat from * to end. Continue ribbing until same number of rows as on back neck ribbing. Bind off loosely.

SLEEVES—With size 3 needles, cast on 39 sts. Work k 3, p 3 ribbing for 3½ ins., end on wrong side with p 3 at each side. Change to size 8 needles. Continue ribbing, increasing 1 st each side of next row. Repeat increases every... 12th row 10th row 8th row
7 times 8 times 9 times

working increased sts in ribbing. Work even on..... 55 sts 57 sts 59 sts

until measurement from lower edge is..... 17¾ ins. 18 ins. 18 ins.

Shape as for armholes of back; 39 sts. Dec. 1 st each side every 4th row 3 times; every 2nd row twice. Bind off 2 sts at beginning of next 6 rows. Bind off 17 sts.

FINISHING—Sew seams. Sew in sleeves with seam at center underarm. Steam, see page 7. Use shoulder pads.

An interesting "Weskit" that is such high fashion!

Weskit No. 3353

Sizes	14	16	18
MATERIALS — Fleisher's Wonderized Casa-Laine Sport Yarn	3 balls	3 balls	4 balls
Fleisher's *Wonderized* Tri-Laine	5 balls	6 balls	7 balls
Fleisher's Sweater and Stocking Yarn	3 skeins	3 skeins	4 skeins
Plastic Knitting Needles, 1 pair Size 4.			
Steel Crochet Hook, Size 2.			
MEASUREMENTS OF GARMENT—At bustline (buttoned)	34 ins.	36 ins.	38 ins.
Length from lower edge to back neck edge	18½ ins.	18¾ ins.	19 ins.
GAUGE: 7 sts= 1 inch 9 rows=1 inch			
BACK—Cast on	95 sts	103 sts	109 sts
Row 1—P. **Row 2**—K	7 sts	3 sts	6 sts
* p 1, k 7; repeat from *, end p 1, k	7 sts	3 sts	6 sts
Repeat these 2 rows 3 times. P 1 row.			
Row 10—P 1, * k 1, p 1; repeat from * across. Repeat these 10 rows for pat. decreasing 1 st each side on next row. Work 1 in. even. Dec. 1 st each side	91 sts	99 sts	105 sts
Work even until 3½ ins. from beg. Inc. 1 st each side of next row; repeat incs. every ½ in. 11 times more carrying out pat.	115 sts	123 sts	129 sts
Work even until 10 ins. from beg.			
Armholes—Bind off at beg. of next 2 rows for underarm	7 sts	8 sts	8 sts
Dec. 1 st each side every 2nd row	5 times	6 times	7 times
Work even on	91 sts	95 sts	99 sts
until armhole measures, straight up from underarm	7¼ ins.	7½ ins.	7¾ ins.
Shoulders—Bind off 5 sts at beg. of next	12 rows	8 rows	4 rows
6 sts at beg. of next	———	4 rows	8 rows
Bind off remaining 31 sts.			
Pocket Linings—Cast on 25 sts. P 1 row, k 1 row for 22 rows, end with k row. Slip on holder. Make 2.			
RIGHT FRONT—Cast on	55 sts	59 sts	62 sts
Row 1—P. **Row 2**—* K 7, p 1; repeat from *, end k	7 sts	3 sts	6 sts
Row 3—P. **Row 4—Buttonhole**—K 2, bind off 3 sts for buttonhole, finish row. Next row, cast on 3 sts over buttonhole. Work pat. for 15 more rows shaping underarm edge as on back, end with pat. row 10	53 sts	57 sts	60 sts
Pocket Ribbing—P	15 sts	17 sts	18 sts
k 1, p 1 for 25 sts, p	13 sts	15 sts	17 sts
Next row, work	13 sts	15 sts	17 sts
bind off next 25 sts in ribbing, finish row.			
Turn, p to pocket opening, p across pocket lining sts, finish row. Work a buttonhole on next 2 rows. Continue pat. repeating buttonhole every 19th and 20th row until there are 6 buttonholes, shaping underarm edge as on back until same length to armhole, end at underarm edge.			
Armhole—Shape armhole as on back until 2 ins. above underarm, end at front edge	53 sts	55 sts	57 sts
Neck Shaping—K 1, slip, k and pass, finish row. Repeat dec. at neck edge every 2nd row	19 times	18 times	18 times
every 4th row	3 times	4 times	4 times
shaping shoulder as on back when armhole is same length.			
LEFT FRONT—Cast on	55 sts	59 sts	62 sts

Sizes	14	16	18
Row 1—P. **Row 2**—K	7 sts	3 sts	6 sts

* p 1, k 7; repeat from * to end (front edge). Continue to correspond to right front omitting buttonholes.

To dec. for neck shaping, k to within 3 sts of neck edge, k 2 tog., k 1. Finish to correspond to right front.

ARMHOLE RIBBING—Sew shoulder seams. From right side, pick up and k the bound-off sts at underarm, pick up and k 2 sts to every 3 rows on armhole edge, pick up and k the bound-off sts on 2nd underarm. Work k 1, p 1 ribbing for 2 rows. Bind off in ribbing.

FINISHING—Block and finish, see page 7.

Work 1 row sc around entire vest.

Squares broaden your shoulders and minimize your waist in this smart sweater.

Date Sweater No. 3303

Sizes 12 and 16

Instructions are for size 12, changes for size 16 are in parentheses.

MATERIALS—Fleisher's *Wonderized* De Luxe Sock and Sport Yarn, 5 (6) skeins. Plastic Knitting Needles, 1 pair Size 3.
Plastic Crochet Hook, Size 0.

MEASUREMENTS—Bust, 1 in. below underarm, 31 (35) ins. Width of back, 1 in. below underarm, 15½ (17½) ins.

GAUGE: 15 sts=2 inches 10 rows=1 inch

BACK—Cast on 103 (118) sts. Work stockinette st, p 1 row, k 1 row, for 2 ins. Dec. 1 st each side of next row; repeat decreases every 6th row 4 times; 93 (108) sts. Work even until 5¼ ins. from beginning, end with p row. Inc. 1 st each side of next row; repeat increases every 4th row 5 times; every 6th row 6 times; 117 (132) sts,—11 ins. from lower edge. Inc. 1 st each side every 2nd row 5 times; 127 (142) sts,—12 ins. from lower edge.

Sleeve Shaping—Cast on 13 (11) sts at end of next 2 rows for sleeves; 153 (164) sts. Work 10 (14) rows even, end with k row.

Block Pattern—**Row 1**—wrong side—K forming ridge on right side. **Row 2**—Knit. **Row 3**—P 13 (14), * k 1, p 13 (14); repeat from * to end. **Row 4**—Knit. Repeat rows 3 and 4, 8 times more. Repeat last 20 rows once. K 1 row on wrong side for ridge. Divide for back neck opening. **Next row**—K 76 (82) sts, slip to holder for right side, k 2 tog. for size 12 only, k to end. Continue block pat. on left side for 20 rows more, end at shoulder edge with 1 k row above 4th ridge row,—7 (7½) ins. from beginning of sleeve.

Shoulder Shaping—Continuing pat., bind off 4 sts at beginning of rows worked from shoulder edge 6 times; 8 (9) sts 4 times. Bind off 20 (22) sts. Take up sts of right side; join yarn at center, finish to correspond to left side.

FRONT—Work same as back omitting back opening, until 7 (7½) ins. from beginning of sleeves, end on wrong side with 4th ridge row; 153 (164) sts.

Neck and Shoulder Shaping—Bind off 4 sts for shoulder, k until 52 (56) sts on needle, slip on holder for left side; bind off 41 (44) sts for neck, k to end. Shape shoulder as on back, keeping neck edge even. Take up sts of left side, finish to correspond.

FINISHING—Sew seams. From right side, keeping work flat, work 2 rows sc on lower edge. Fasten off. Work 1 row sc on sleeve edges, around neck and back opening. Work 2nd row sc on edges of back opening only, making 3 buttonloops, equally spaced on right edge. Steam, see page 7. Use shoulder pads.

WASHING INSTRUCTIONS

Before washing lay article flat on heavy wrapping paper and with pencil draw an outline around article. Then make thick suds with hot water and soap flakes; add cold water until lukewarm (pure wool articles must never be washed or rinsed in water exceeding 100°—comfortable wrist temperature).

Immerse article and gently work suds through it—do not rub or twist. Rinse thoroughly in three lukewarm waters immediately after washing, squeeze gently between hands to remove soap. Keep the article supported in the hands at all times during washing and rinsing. **Do not twist or wring.**

After final rinsing, gently squeeze out excess moisture between hands. Roll article loosely in turkish towel to remove balance of moisture and **unroll at once.**

Remove article from towel, then lay on paper diagram and shape to original outline. Allow to dry on paper at room temperature **away from heat.** Article will dry to original size.

Sweaters and other garments made of WONDERIZED Anti-Shrink Anti-Matting Yarn should not be put on drying forms. Socks may be dried on forms—after shaping sock to form, lay flat to dry, do not hang.

NOTE: Never allow wool knit articles to soak; never boil or use hot water; never use strong soap or soda; never hang to dry.

WEAVING TOE—Break off yarn, leaving a 12-inch end; thread this into a tapestry needle and weave the sts together as follows: * pass through first st of front needle, as if knitting, and slip the st off—pass through 2nd st, as if purling, but leave st on needle—draw yarn through first st of back needle, as if purling, slip st off—draw yarn through 2nd st of back needle, as if knitting, leave st on. Repeat from * until all the sts are joined and fasten off.



Short sleeve classic made more personally yours with smart monogram.

Classic Slipon No. 3301

Sizes	14	16	18
MATERIALS — Fleisher's Petite Knitting Worsted	4 skeins	4 skeins	5 skeins
Plastic Knitting Needles, 1 pair each Sizes 2 and 5.			
MEASUREMENTS—At bustline	33 ins.	35 ins.	37 ins.
Width of back at underarm	16 ins.	17 ins.	18 ins.
Sleeves—Width at underarm	11¾ ins.	12 ins.	12¼ ins.
GAUGE: 13 sts=2 inches 17 rows=2 inches			
BACK—With size 2 needles, cast on	86 sts	92 sts	98 sts
Work k 2, p 2 ribbing for 4 ins. Change to size 5 needles. Work stockinette st, p 1 row, k 1 row, increasing 1 st each side every 6th row 9 times. Work even on	104 sts	110 sts	116 sts
until measurement from lower edge is	12 ins.	12¼ ins.	12½ ins.
Armholes—Bind off 6 sts at beginning of next 2 rows for underarm. Dec. 1 st each side every 2nd row	5 times	7 times	9 times
Work even on	82 sts	84 sts	86 sts
until length above underarm is	6¾ ins.	6¾ ins.	7 ins.
Shoulders—Bind off at beginning of next 2 rows	7 sts	8 sts	9 sts
Bind off 4 sts at beginning of next 10 rows.			
Back Neck Ribbing—With size 2 needles, work k 2, p 2 ribbing on 28 sts for 1 in. Bind off loosely in ribbing.			
FRONT—With size 2 needles, cast on	94 sts	100 sts	106 sts
Work same as back until	5¼ ins.	5¼ ins.	5½ ins.
above underarm (end with p row)	90 sts	92 sts	94 sts
Neck and Shoulder Shaping—Next row—K	35 sts	36 sts	37 sts
slip on holder for left side; k 20, slip on holder for neck; k	35 sts	36 sts	37 sts
Dec. 1 st at neck edge every row 4 times; every 2nd row 4 times; shaping shoulder as on back when armhole is same length as back. Take up sts of left side. Join yarn at neck edge, work to correspond to right side. Do not break yarn.			
FRONT NECK RIBBING—With size 2 needles, pick up and k 24 sts on left neck edge, take up and k 20 sts, pick up and k 24 sts on right edge. Work k 2, p 2 ribbing on 68 sts for 1 in. Bind off loosely in ribbing.			
SLEEVES—With size 2 needles, cast on	62 sts	64 sts	66 sts
Work k 2, p 2 ribbing for 1 in. Change to size 5 needles. Working stockinette st, inc. 1 st each side every 6th row 3 times; every 4th row 4 times.			
Work even on	76 sts	78 sts	80 sts
until 5½ ins. from beginning. Bind off 6 sts at beginning of next 2 rows.			
Dec. 1 st each side every 2nd row	7 times	7 times	8 times
every 4th row 3 times; every 2nd row 3 times. Bind off 2 sts at beginning of next 6 rows; 3 sts at beginning of next 2 rows. Bind off	20 sts	22 sts	22 sts

FINISHING—Sew seams. Sew in sleeves with seam at center underarm. Steam, see page 7. Use shoulder pads. Sew on monogram if desired.

Weaving Stockinette Stitch—Thread a tapestry needle and bring pieces to be joined close together. Draw up yarn in first st on upper piece, inserting needle from wrong side; insert needle from right side in first st on lower piece and bring up through next st from wrong side—draw up yarn; * insert needle from right side in same st as before on upper piece and bring up through next st from wrong side —draw up yarn; insert needle from right side in same st as before on lower piece and bring up through next st—draw up yarn; repeat from * until all sts are joined, fasten yarn well before breaking off.



A narrow satin ribbon drawn through eyelets makes this sweater right for night.

Tuck-In Blouse No. 3302

Sizes	12	14	16
MATERIALS — Fleisher's Nubbee; or Fleisher's Silhouette	7 skeins	8 skeins	8 skeins
Featherlite Aluminum Knitting Needles, 1 pair Size 2.			
Steel Crochet Hook, Size 4.			
MEASUREMENTS—At bustline	31 ins.	33 ins.	35 ins.
Width of back at underarm	15 ins.	16 ins.	17 ins.
Sleeves—Width at underarm	11¾ ins.	12 ins.	12¼ ins.
GAUGE: 15 sts=2 inches 11 rows=1 inch			
BACK—Cast on	102 sts	110 sts	118 sts
Work stockinette st, p 1 row, k 1 row, decreasing 1 st each side every 1 in. 6 times. Work even on	90 sts	98 sts	106 sts
until 8 ins. from beginning. Inc. 1 st each side of next row; repeat increases every ½ in. 10 times. Work even until 14 ins. from beginning on (end with p row)	112 sts	120 sts	128 sts
Armholes—Bind off at beginning of next 2 rows for underarm	6 sts	7 sts	8 sts
Dec. 1 st each side every 2nd row	5 times	6 times	7 times
Work even until 2½ ins. above underarm (end with k row)	90 sts	94 sts	98 sts
Neck Shaping—Short rows—Row 1—For left side, p first	30 sts	32 sts	34 sts
turn. **Row 2**—Slip 1, k	29 sts	31 sts	33 sts
Row 3—P	26 sts	28 sts	30 sts
turn. **Row 4**—Slip 1, k	25 sts	27 sts	29 sts
Row 5—P	22 sts	24 sts	26 sts
turn. Continue in this way working 4 sts less on 2nd row once more; then work 2 sts less every 2nd row until 2 sts remain on	23rd row	25th row	27th row
Turn, slip 1, k 1. Break yarn. Turn, slip	30 sts	32 sts	34 sts
of left side and 30 sts for center back neck edge to right hand needle. Join yarn, work short rows on remaining	30 sts	32 sts	34 sts
as follows: **Row 1**—P	30 sts	32 sts	34 sts
Row 2—K	26 sts	28 sts	30 sts
Row 3—Slip 1, p	25 sts	27 sts	29 sts
Slip 1 at beginning of every short p row. **Row 4**—K	22 sts	24 sts	28 sts
Finish to correspond to left side, end with slip 1, p 1. K across all	90 sts	94 sts	98 sts
Bind off as to p for back neck edge.			
FRONT—Cast on	110 sts	118 sts	126 sts
Work same as back until 2¼ ins. above underarm (end with k row)	98 sts	102 sts	106 sts
Neck Shaping—Short Rows—Row 1—For right side, p	34 sts	36 sts	38 sts
turn. **Row 2**—Slip 1, k	33 sts	35 sts	37 sts
turn. **Row 3**—P	30 sts	32 sts	34 sts
turn. **Row 4**—Slip 1, k	29 sts	31 sts	33 sts
turn. **Row 5**—P	26 sts	28 sts	30 sts
turn. Continue working 4 sts less on 2nd row once more; then 2 sts less every 2nd row until 2 sts remain on	27th row	29th row	31st row
Turn, slip 1, k 1. Break yarn. Turn, slip	34 sts	36 sts	38 sts
of right side and 30 sts for center front to right hand needle. Work short rows on left side to correspond, end with slip 1, p 1, turn. K across all	98 sts	102 sts	106 sts
Bind off.			
SLEEVES—Cast on	68 sts	70 sts	72 sts
Work stockinette st, increasing 1 st each side every 2nd row 10 times. Work 2 rows even on	88 sts	90 sts	92 sts
Bind off at beginning of next 2 rows	6 sts	7 sts	8 sts
Dec. 1 st each side every 2nd row 6 times; every 4th row 9 times; every 2nd row twice. Bind off 3 sts at beginning of next 6 rows. Bind off 24 sts.			



FINISHING—Block each piece to given measurements, see page 7. Sew seams. Sew in sleeves, with seam at center underarm, leaving top of sleeve free. Work 1 row sc around lower edge of blouse and sleeves, keeping work flat.

EYELETS—Round 1—From right side, work 1 row sc across back neck edge, spacing sts evenly, ch for 3½ ins; skip top of sleeve, continue sc on front neck edge, ch for 3½ ins., join with slip st to first sc. **Round 2**—Working from same side as last round, ch 5, 1 long tr in next st (note: to make long tr, yo 3 times, draw up loop in st, yo and through 2 loops 4 times in succession), * ch 1, skip 2 sts, 1 long tr in each of next 2 sts; repeat from * around top of blouse and on each 3½ in. ch, end ch 1, join with slip st in top of ch 5. **Round 3**—From same side as last round, work 1 sc in each st. Fasten off. Sew top of sleeves to 3½ in. chains, holding in extra fulness. Steam seams. Trim with ribbon as illustrated.

Classic accessories rate high with the Student Body.

Cable Stitch Mittens No. 3306

Medium Size

MATERIALS — Fleisher's Superior Knitting Worsted, 1 skein.
Plastic Knitting Needles, 1 pair Size 10.
Plastic Crochet Hook, Size 8.

GAUGE: Stockinette St—11 sts=3 inches
Mittens are made using 2 strands of yarn.

RIGHT MITTEN—Cast on 26 sts. P 14, k 2, p 6, k 2, p 2.
Pattern row 1—right side—K 2, p 2, slip next 3 sts to crochet hook, keeping sts in front of work, k next 3 sts,

(*Continued on Page* 36)

Mittens No. 3305

Medium Size

MATERIALS — Fleisher's Superior Knitting Worsted, 1 skein Main Color, A.
Fleisher's *Wonderized* DeLuxe Sock and Sport Yarn, 1 skein each of Navy, B; Red, C; Royal Blue, D; Yellow, E; Green, F; or part skeins of each of 5 colors left from Pullover No. 3295, page 20.
Plastic Knitting Needles, 1 pair Size 2.

GAUGE: Stockinette st — 13 sts=2 inches 9 rows=1 inch
Pattern — 13 sts=2 inches 7 rows=1 inch

LEFT MITTEN—With A, cast on 45 sts. Work k 1, p 1 ribbing for 3½ ins. for cuff. Work stockinette st for 2 ins., end with p row.

(*Continued on Page* 37)

Cable Anklets No. 3308

Size 8½ to 10½

MATERIALS — Fleisher's *Wonderized* De Luxe Sock and Sport Yarn, 2 skeins.
Featherlite Sock Needles, 1 set Size 12 (1).

GAUGE: 12 rounds=1 inch

LEG—Cast on 62 sts loosely, divide on 3 needles. Join, work k 1, p 1 ribbing for 2 ins. **Inc. round**—P 1, * inc. 1 st by knitting a st in side of next st in row below, k 5, p 2, inc. 1 st as before, k 1, p 2; repeat from * 4 times, k 6, p 2, k 2, p 1; 72 sts.
Cable Pattern—Round 1—P 1, * k 6, p 2, k 2, p 2; repeat from *, end last repeat p 1. **Round 2—cable twist**—P 1,

(*Continued on Page* 37)

Anklets No. 3307

Size 8½ - 10½

MATERIALS — Fleisher's *Wonderized* De Luxe Sock and Sport Yarn, 3 skeins.
Featherlite Sock Needles, 1 set Size 12 (1).

GAUGE: 17 sts=2 inches 12 rounds=1 inch

LEG—Using 3 strands of yarn, cast on 52 sts, divide on 3 needles. Join, work k 1, p 1 ribbing for 4 ins. Break 2

(*Continued on Page* 37)

Argyle Anklets No. 3309

Size 8½ to 10½

MATERIALS — Fleisher's *Wonderized* De Luxe Sock and Sport Yarn, 2 skeins Color A, 1 skein each of Colors B and C. Featherlite Sock Needles, 1 set Size 12 (1).

GAUGE: 17 sts=2 inches 12 rows=1 inch

Note: Instead of knitting in cross lines, they may be embroidered in duplicate stitch after anklet is com-

(*Continued on Page* 38)


3306

3305


3308

3307

3309

Turtle-necks are making news again . . . as are wide-spaced cables.

Turtle Neck Pullover No. 3289

(Shown on Cover)

Sizes	34	36	38	40	Plastic Knitting Needles, 1 pair each, Sizes
MATERIALS — Group A (Medium Weight)					
Fleisher's *Wonderized* Casa-Laine Sport Yarn	7 balls	7 balls	8 balls	8 balls	1 and 3
Fleisher's Sweater and Stocking Yarn	7 skeins	7 skeins	8 skeins	8 skeins	1 and 3
Fleisher's Petite Knitting Worsted	6 skeins	6 skeins	7 skeins	7 skeins	1 and 3
Fleisher's *Wonderized* Tri-Laine	11 balls	12 balls	13 balls	13 balls	1 and 3
MATERIALS — Group B (Light Weight)					
Fleisher's *Wonderized* De Luxe Sock and Sport Yarn	8 skeins	9 skeins	9 skeins	10 skeins	1 and 2
Fleisher's Super-Spun Nylon	8 skeins	9 skeins	9 skeins	10 skeins	1 and 2

GAUGE: Group A—15 sts=2 inches Group B—8 sts=1 inch

	Group A				Group B			
Sizes	**34**	**36**	**38**	**40**	**34**	**36**	**38**	**40**
BACK—With small needles, cast on	128 sts	136 sts	144 sts	150 sts	136 sts	144 sts	152 sts	160 sts
Work k 2, p 2 ribbing for 2½ ins. With large needles, work stockinette st (p 1 row, k 1 row) until measurement from lower edge is (end with p row)	15¾ ins.	16 ins.	16½ ins.	17 ins.	15¾ ins.	16 ins.	16½ ins.	17 ins.
Armholes—K and slip on holder for right underarm	10 sts	12 sts	13 sts	14 sts	10 sts	12 sts	13 sts	14 sts
k	108 sts	112 sts	118 sts	122 sts	116 sts	120 sts	126 sts	132 sts
slip on holder for left underarm the remaining	10 sts	12 sts	13 sts	14 sts	10 sts	12 sts	13 sts	14 sts
Work even until measurement above underarm is (end with p row)	7 ins.	7 ins.	7¼ ins.	7½ ins.	7 ins.	7 ins.	7¼ ins.	7½ ins.
K and slip on holder for right shoulder	35 sts	36 sts	38 sts	40 sts	38 sts	40 sts	42 sts	44 sts
k for neck the next	38 sts	40 sts	42 sts	42 sts	40 sts	40 sts	42 sts	44 sts
slip remaining sts on holder. With small needles, work neck ribbing for 1 in. (4 ins. for turtle neck). Bind off loosely in ribbing.								
FRONT — Work same as back until measurement above underarm is (end with p row)	6 ins.	6 ins.	6¼ ins.	6½ ins.	6 ins.	6 ins.	6¼ ins.	6½ ins.
Neck—K and slip on holder for left side	39 sts	40 sts	42 sts	44 sts	42 sts	44 sts	46 sts	48 sts
k and slip on holder for neck the next	30 sts	32 sts	34 sts	34 sts	32 sts	32 sts	34 sts	36 sts
k to end. P 1 row. **Dec. row**—K 1, slip, k and pass, k to end. Repeat last 2 rows	3 times	3 times	3 times	3 times	3 times	3 times	3 times	3 times
Work even until 2 ins. from beginning of neck on	35 sts	36 sts	38 sts	40 sts	38 sts	40 sts	42 sts	44 sts
Weave these sts to right shoulder sts of back. Join								

(Continued on Page 35)

No. 3289 Continued from Page 34

Sizes	34	36	38	40	34	36	38	40
yarn at neck edge of left side. P 1 row. **Dec. row**—K to within 3 sts of end, k 2 tog., k 1. Finish to correspond to right side.								
FRONT NECK RIBBING—With small needles, pick up and k on left side of neck edge	16 sts	16 sts	16 sts	16 sts	16 sts	16 sts	16 sts	16 sts
k front neck sts; pick up and k on right side	16 sts	16 sts	16 sts	16 sts	16 sts	16 sts	16 sts	16 sts
work ribbing as on back neck. Bind off	62 sts	64 sts	66 sts	66 sts	64 sts	64 sts	66 sts	68 sts
RIGHT SLEEVE—With large needles, k right back underarm sts, pick up and k on armhole edge	74 sts	74 sts	80 sts	82 sts	82 sts	82 sts	84 sts	86 sts
k front underarm sts	94 sts	98 sts	106 sts	110 sts	102 sts	106 sts	110 sts	114 sts
Work stockinette st for ¾ in. (end with p row). **Dec. row**—K 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1. Repeat dec. row every	¾ in. 18 times	¾ in. 18 times	¾ in. 20 times	¾ in. 20 times	¾ in. 20 times	¾ in. 20 times	¾ in. 20 times	¾ in. 22 times
Work even on	56 sts	60 sts	64 sts	68 sts	60 sts	64 sts	68 sts	68 sts
until measurement from armhole is	16¾ ins.	17 ins.	17½ ins.	17¾ ins.	16¾ ins.	17 ins.	17½ ins.	17¾ ins.

With small needles, work ribbing for 3 ins. Bind off.

LEFT SLEEVE—Work to correspond to right sleeve.

FINISHING—Sew seams. Sew edges of neck ribbing tog. Steam, see page 7.

Cable Pullover No. 3298

(Shown on Cover)

Sizes	14	16	18
MATERIALS—			
Fleisher's *Wonderized* Casa-Laine Sport Yarn	6 balls	6 balls	6 balls
Fleisher's Sweater and Stocking Yarn	6 skeins	6 skeins	6 skeins
Plastic Knitting Needles, 1 pair each Sizes 1 and 5.			
Plastic Crochet Hook, Size 5.			
MEASUREMENTS—At bustline	34 ins.	36 ins.	38 ins.
Width of back at underarm	17 ins.	18 ins.	19 ins.
Sleeves—Width at underarm	12¼ ins.	12¾ ins.	13¼ ins.
GAUGE: 19 sts=3 inches 8 rows=1 inch			
BACK—With size 1 needles, cast on	102 sts	110 sts	118 sts
Work k 2, p 2 ribbing for	3¼ ins.	3½ ins.	3¾ ins.
end with a row with p 2 at each end. **Inc. row**—K	6 sts	10 sts	14 sts
* p 2, k 2, inc. 1 st in next st, k 3, p 2, k 10; repeat from *, end last repeat k	6 sts	10 sts	14 sts
Change to size 5 needles	107 sts	115 sts	123 sts
Cable Pattern—Row 1—wrong side—P	6 sts	10 sts	14 sts
* k 2, p 7, k 2, p 10; repeat from *, end last repeat p	6 sts	10 sts	14 sts
Row 2—K	6 sts	10 sts	14 sts
* p 2, k 7, p 2, k 10; repeat from *, end last repeat k	6 sts	10 sts	14 sts
Repeat last 2 rows 3 times. Repeat row 1 again. **Row 10—cable twist**—K	6 sts	10 sts	14 sts
* p 2, k 7, p 2, slip next 5 sts to crochet hook, hold at back of work, k next 5 sts, k 5 sts from hook (cable twist); repeat from *3 times, p 2, k 7, p 2, k	6 sts	10 sts	14 sts
Repeat row 1 and 2 once. Repeat these 12 rows for pat. until 8½ ins. above ribbing, end with 10th row above a twist row.			
Armholes—Bind off at beginning of next 2 rows for underarm	5 sts	6 sts	7 sts
Dec. 1 st each side every 2nd row	5 times	6 times	7 times

(Continued on Page 36)

No. 3298 Continued from Page 35

Sizes	14	16	18
Work even on	87 sts	91 sts	95 sts
until measurement above underarm is	6¾ ins.	7 ins.	7¼ ins.
end with	4th row	6th row	8th row
above a twist row.			
Shoulders—Bind off at beginning of next 4 rows	5 sts	6 sts	7 sts
Bind off 6 sts at beginning of next 6 rows. Change to size 1 needles.			
Neck Ribbing—Row 1—wrong side— * P 2, k 2; repeat from * 3 times, p 2 tog., p 1; work k 2, p 2 to end; 30 sts. Continue ribbing for 8 rows more. Bind off loosely in ribbing.			
FRONT—Work same as back until 5 ins. above underarm, end with 2nd row above a twist row.			
Neck and Shoulder Shaping—Work and slip on holder	33 sts	35 sts	37 sts
work 21 sts, slip on holder for neck ribbing, finish row. Dec. 1 st at neck edge every row twice; every 2nd row 3 times. Work even until armhole is same length as on back. Shape shoulder as on back. Take up sts of other side, beginning at neck edge, finish to correspond to first side.			
NECK RIBBING—From right side, with size 1 needles, pick up and k on left side of neck	23 sts	23 sts	27 sts
slip 21 sts to needle, work pat. on 10 sts, k 2 tog., work next 9 sts, pick up and k on right side of neck	23 sts	23 sts	27 sts
Next row—K 2, * p 2, k 2; repeat from * to end. Continue ribbing for 8 rows more on	66 sts	66 sts	74 sts
Bind off loosely in ribbing.			
SLEEVES—With size 1 needles, cast on 54 sts. Work ribbing as on back for 3½ ins., end with k 2 at each end of row. **Inc. row**—P 2, k 10, p 2, * k 2, inc. 1 st in next st, k 3, p 2, k 10, p 2; repeat from * once; 56 sts. Change to size 5 needles.			
Cable Pattern—Row 1—wrong side—K 2, p 10, k 2, * p 7, k 2, p 10, k 2; repeat from * once. **Row 2**—P 2, k 10, p 2, * k 7, p 2, k 10, p 2; repeat from * once. Repeat last 2 rows 3 times; repeat row 1 again. **Row 10**—P 2, work twist on next 10 sts, p 2, * k 7, p 2, work twist on next 10 sts, p 2; repeat from * once. Repeat row 1 again. Inc. 1 st each side of next row. Continue cable pat., repeating increases each side every 1 in	10 times	12 times	7 times
every ¾ in	....	....	7 times
Working increased sts in stockinette st, work even until 14½ ins. above ribbing on	78 sts	82 sts	86 sts
end with 10th row above a twist row. Shape same as armholes of back. Work even on 58 sts until 3 ins. above underarm, end with 11th row above a twist row. Dec. 1 st each side of next row; repeat decreases every 2nd row	4 times	4 times	6 times
Bind off at beginning of next 8 rows	3 sts	2 sts	2 sts
Bind off 3 sts at beginning of next	....	2 rows	....
Bind off	24 sts	26 sts	28 sts

FINISHING—Sew seams. Sew in sleeves with seam at center underarm. Steam, see page 7. Use shoulder pads.

No. 3306 Continued from Page 32

then k 3 sts from hook (cable twist), p 2, k 14. **Row 2**—P 14, k 2, p 6, k 2, p 2. **Row 3**—K 2, p 2, k 6, p 2, k 14. Repeat row 2 and 3 once; then repeat row 2 once more. Repeat last 6 rows for pat. Work until 1 row after 3rd cable twist row.

First inc. row for thumb—Work 14 sts, inc. 1 st by making a loop on right hand needle, k 1, inc. 1 st in same way, k 11. **Next row**—P 16, k 2, p 6, k 2, p 2. **2nd inc. row**—Work 14 sts, inc. 1 st, k 3, inc. 1 st, k 11. **Next row**—P 18, k 2, p 6, k 2, p 2. Continue pat., increasing 1 st each side of thumb every 2nd row twice more, having 2 sts more between increases after each inc. row, working increased sts in stockinette st; 34 sts. Work 1 row after last inc. row. **Next row**—Work 14 sts, slip to a holder; k next 9 (thumb) sts; slip remaining 11 sts to a holder.

Thumb—Cast on 1 st at end of thumb sts. Work stockinette st even on these 10 sts for 2¼ ins. Work 2 sts tog. 5 times in succession. Break off, leaving an end. Draw end twice through remaining 5 sts and fasten off. Sew thumb seam.

Hand—Working from right side, slip first 14 sts to one needle, join yarn, pick up and k 3 sts on st cast on for thumb, slip remaining 11 sts to free needle and k; 28 sts. Continue pat. as before until 8 cable twists from beginning. Work 1 row after last twist row.

First dec. row—K 2, p 2 tog., k 6, p 2 tog., k 4, k 2 tog., k 6, slip, k and pass, k 2; 24 sts. **Next row**—P 14, k 1, p 6, k 1, p 2.

2nd dec. row—K 2, k 2 tog., k 4, slip, k and pass, k 4, k 2 tog., k 4, slip, k and pass, k 2; 20 sts. P 1 row. K 2 sts tog. 10 times in succession. Break off, leaving an end. Fasten as before. Sew seam. From right side, work 1 row sc around lower edge.

LEFT MITTEN—Cast on 26 sts. P 2, k 2, p 6, k 2, p 14. Work to correspond to right mitten, having cable pat. at opposite end of needle. Steam, see page 7.

No. 3305 Continued from Page 32

Divide for Thumb—K 15, k next 9 sts with strand of colored thread, slip these 9 sts back onto left needle; then k them again with A, finish row. **Note:** Colored thread is removed later and thumb picked up on these sts. P 1 row with A. **Pat. row 1**— * With B, k 3; with A, k 1; with B, k 1; with A, k 4; with B, k 5; with A, k 4; with B, k 1; with A, k 1; with B, k 2; repeat from * once, end with B, k 1. Continue pat. as on yoke of Pullover No. 3295 chart, page 20, for 27 more rows beginning with 16th st from right edge of chart. With A, work stockinette st until 6¼ ins. above ribbing, end with p row. **First dec. row**— * K 2 tog., k 7; repeat from * to end; 40 sts. Work 3 rows even. **2nd dec. row**—* K 2 tog., k 3; repeat from * to end; 32 sts. P 1 row. **3rd dec. row**—* K 2 tog., k 2; repeat from * to end; 24 sts. P 1 row. **4th dec. row**— * K 2 tog., k 1; repeat from * to end; 16 sts. P 1 row. **5th dec. row**—K 2 tog. across row. Break yarn, draw end twice through these 8 sts. Fasten off.

Thumb—Draw out colored thread, slip upper sts to strand of yarn, slip lower 9 sts to needle. With A, cast on 4 sts on free needle, k the 9 sts from needle, cast on 5 sts more; 18 sts. Work stockinette st for 2¼ ins., end with p row. K 2 tog. across row; 9 sts. P 1 row. K 1, k 2 tog. 4 times; 5 sts. Break yarn, draw end twice through remaining 5 sts. Fasten off. Sew side edges of thumb. Weave cast-on sts of thumb to sts on strand of yarn. Sew side edges of mitten.

RIGHT MITTEN—Work same as left mitten up to thumb, end with p row.

Divide for Thumb—K 21, k 9 sts with colored thread, then k 9 sts again with A, k to end. Finish to correspond to left mitten. Steam, see page 7.

No. 3308 Continued from Page 32

* slip 3 sts to extra needle, hold in front of work, k next 3 sts, k 3 sts from extra needle, p 2, k 2, p 2; repeat from *, end last repeat p 1. Repeat first round 11 times. Repeat last 12 rounds until 5 ins. from cast-on edge, end with cable twist round.

Heel—Work pat. to within 3 sts of end of round; place next 38 sts on 1 needle for heel; holding remaining 34 sts on 2 needles for instep; k across heel needle working every 8th and 9th st tog. 4 times, k 2; 34 sts for heel, turn. P 1 row, k 1 row for 24 rows, always slip first st on all rows.

Turn Heel—Slip 1, p 19, p 2 tog., p 1, turn, slip 1, k 7, slip,k and pass, k 1, turn, slip 1, p 8, p 2 tog., p 1, turn, slip 1, k 9, slip, k and pass, k 1, turn, slip 1, p 10, p 2 tog., p 1, turn, slip 1, k 11, slip, k and pass, k 1; continue to work toward sides of heel, having 1 st more before dec. every row until 20 sts remain, end with k row. On last 2 rows there will not be an extra st at ends after dec.

Gussets and Foot—With same needle, pick up and k 13 sts on side of heel; work pat. on 34 instep sts for 2nd needle; with free needle, pick up and k 13 sts on other side of heel; k 10 sts of heel to same needle; 23 sts on first and 3rd needles; 34 sts on 2nd or instep needle. Continue pat. on instep, work 1 round even. **Next round**—K to within 3 sts of end of first needle, k 2 tog., k 1; work 34 instep sts; k 1, slip, k and pass, k to end of 3rd needle. Repeat last 2 rounds until 15 sts remain on first and 3rd needles; 64 sts. Work even until 6¾ ins. from center back of heel, end with cable twist. Discontinue pat., k all sts, working 2 sts tog. over each of 4 center p 2 ribs on instep; 60 sts. K even until 2 ins. less than desired length from tip of heel, allowing the 2 ins. for toe.

Toe—Beginning at center of sole, having 15 sts on first and 3rd needles; 30 sts on 2nd needle; k to within 3 sts of end of first needle, k 2 tog., k 1; on 2nd needle, k 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1; on 3rd needle, k 1, slip, k and pass, k to end. K 1 round even. Repeat last 2 rounds until 16 sts remain. K 4 sts of first needle, slip to 3rd needle; 8 sole sts. Weave instep and sole sts tog., see page 27. Steam, see page 7.

No. 3307 Continued from Page 32

of the 3 strands of yarn. With 1 strand, k 1 round. **Inc. round**—K 4, * inc. 1 st in next st, k 5; repeat from * to end of round; 60 sts. K plain until 6 ins. from beginning, end at center back.

Heel—Slip the 12 sts before center back onto one needle and to same needle, k the 12 sts on other side of center back; divide remaining 36 sts on 2 needles for instep. Join another strand of yarn. Turn, working from wrong side, with 2 strands of yarn (always slipping first st at beginning of every row), p 1 row, k 1 row for 21 rows. Break 1 strand of yarn. With 1 strand of yarn, k 1 row. Begin to turn heel on wrong side; p 15, p 2 tog., p 1, turn, slip 1, k 7, slip, k and pass, k 1, turn, slip 1, p 8, p 2 tog., p 1, turn, slip 1, k 9, slip, k and pass, k 1. Continue in this way to work toward sides of heel, having 1 st more before dec. in every row until 16 sts remain on heel needle, end with k row.

Gusset—With same needle, pick up and k 11 sts on side edge of heel and 1 extra st at end, k 36 instep sts to 1

(Continued on Page 38)

No. 3307 Continued from Page 37

needle; with free needle, pick up and k 12 sts on other side of heel and k the next 8 sts to same needle. K 1 round even; 76 sts. **Next round**—K to within 3 sts of end of first (heel) needle, k 2 tog., k 1; k 36 instep sts; k 1, slip, k and pass, k to end of 3rd needle; 74 sts. Repeat last 2 rounds 7 times; 60 sts. Work even until foot measures 2 ins. less than desired length from tip to heel, allowing the 2 ins. for toe.

Toe—Beginning at center of sole, place 15 sts on first and 3rd needles and 30 sts on 2nd needle. K to within 3 sts of end of first needle, k 2 tog., k 1; k 1, slip, k and pass, k to within 3 sts of end of 2nd needle, k 2 tog., k 1; k 1, slip, k and pass, k to end of 3rd needle; 56 sts. K 1 round. Repeat last 2 rounds 10 times; 16 sts. K 4 sts of first needle and slip to 3rd needle (8 sole sts). Weave sole sts and instep sts tog., see page 27. Steam, see page 7.

No. 3309 Continued from Page 32

pleted, in which case diamonds are worked in solid color. Instructions and chart call for knitting in the cross lines. Wind A, B and C each into 2 balls. Wind about 10 yds each of B and C in same way if cross lines are to be knitted in.

CUFF—With A, cast on 60 sts on 1 needle. Work k 2, p 2 ribbing back and forth for 3 ins., increasing 1 st every 16th st 3 times in last row; 63 sts. P 1 row.

Leg—Begin pat., working in stockinette st (k 1 row, p 1 row), follow chart, page 39. **First row**—K 1 C, 14 A, 1 B, 1 C, 14 A, 1 B, 14 A, 1 C, 1 B, 14 A, 1 C. To prevent a hole when changing yarns, always bring color to be used under and around last color used. Continue pat. until 31 rows. **Next row**—With A, p 16 sts, slip on holder for heel, work next 31 sts as on chart, slip remaining 16 sts to holder for other half of heel. Continue to work 1 C diamond and 1 B diamond as on chart. Break off.

Heel—Take up 32 sts on needle, join A on wrong side. **Row 1**—Slip 1 as to p, p to end. **Row 2**— * Holding yarn in back of work, slip 1 as to p, k 1; repeat from * to end. Repeat last 2 rows until 32 rows on heel, end with row 2. Begin to turn heel on wrong side, slip 1, p 18, p 2 tog., p 1, turn, slip 1, k 7, slip, k and pass, k 1, turn, slip 1, p 8, p 2 tog., p 1, turn, slip 1, k 9, slip, k and pass, k 1, turn. Continue in this way to work toward sides of heel, having 1 st more before dec. on each row until 20 sts remain. Break off.

Gusset—With A and free needle, from right side, pick up and k 16 sts on side of heel, k 10 sts of heel to same needle; with another needle, k remaining 10 sts of heel; pick up and k 16 sts on other side of heel to same needle. Turn, p back across sts on 2 needles. Turn, k 1, slip, k and pass, k to end of first needle; k to within 3 sts of end of 2nd needle, k 2 tog., k 1. Repeat last 2 rows 9 times; 32 sts. Place all sts on one needle for sole. P 1 row, decreasing 1 st at end of needle; 31 sole sts. K 1 row, p 1 row until 62 rows from where sts were picked up on sides of heel. Place 31 sole sts and 31 instep sts on 3 needles. K 1 round, knitting end sole st tog. with end instep st on each side. K around on 60 sts until foot measures 1¾ ins. less than desired length from tip of heel, allowing the 1¾ ins. for toe.

Toe—Beginning at center of sole, place 15 sts on first needle; 30 sts on 2nd needle and 15 sts on 3rd needle. K to within 3 sts of end of first needle, k 2 tog., k 1; on 2nd needle, k 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1; on 3rd needle, k 1, slip, k and pass, k to end. K 1 round. Repeat last 2 rounds until 16 sts remain. K 4 sts of first needle and slip to 3rd needle; 8 sole sts. Weave sole and instep sts tog., see page 27. Sew back seam, matching pats. Sew seams on each side of foot. Steam, see page 7.

No. 3297 Continued from Page 5

Sizes	14	16	18
pick up and k on left edge	23 sts	24 sts	25 sts
take up and k 17 sts	112 sts	116 sts	120 sts
Row 1—wrong side—P 7, work k 2, p 2 ribbing on	98 sts	102 sts	106 sts
p 7. **Row 2**—K 7, work	98 sts	102 sts	106 sts

k 7. Repeat these 2 rows 4 times working 6th buttonhole on 4th and 5th row.
Bind off in ribbing.

FINISHING—Embroider cross stripes in duplicate st, see chart, page 39. Sew seams. Sew in sleeves with seam at center underarm. Steam, see page 7. Sew 1-in. grosgrain ribbon to wrong side of each front at edge. Finish buttonholes.

Chart for Socks No. 3309

(*Shown on Page* 33)



Chart for Pullover No. 3300

(*Shown on Page* 11)





Duplicate Stitch Embroidery

Chart for Cardigan No. 3297

(*Shown on Page* 5)



at last!

ANTI-SHRINK PERMANENT FIT *Knitting Yarns*

NO MORE SIGHS ABOUT SIZE WHEN YOU KNIT WITH FLEISHER'S *Wonderized** YARNS

Argyle socks, regular socks, sweaters, scarfs, mittens—yes, and baby handknits, too—they all stay true to size, no matter how often you wash them . . . when you knit them of Fleisher's *Wonderized* Yarns. Wonderized is an entirely new and different process that controls shrinking and matting permanently...keeps the original soft, fluffy liveliness of the natural wool . . . permanently.

You'll have no more shrink problems when you knit with Fleisher's Wonderized Heathglen for socks and sweaters, and Fleisher's Wonderized Babyfair for all your baby handknits.

*Wonderized** ANTI-SHRINK PERMANENT FIT

featured in **Fleisher's Yarns**

Printed in U. S. A.

*® Proc. Pat. No. 2,429,082